Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	15	(event notification notif$4) same (packet messag$3) with first adj (response reply ack code tag) and (event notification notif$4) same (packet messag$3) with second adj (response reply ack code tag) and (@ad<"20000623" @rlad<"20000623")	US-PGPUB; USPAT	OR	ON	2006/01/23 10:08
L3	11	(event notification notif$4 activity service fucntion alarm alert) adj3 (id identifier indicator pointer code) and (packet messag$3) with first adj (response reply ack code tag) and (event notification notif$4) same (packet messag$3) with second adj (response reply ack code tag) and (@ad<"20000623" @rlad<"20000623")	US-PGPUB; USPAT	OR	ON	2006/01/23 09:31
L5	7	(event notification notif$4 activity service fucntion alarm alert) adj3 (id identifier indicator pointer code) and (packet messag$3) with first adj (response reply ack code tag) and (event notification notif$4) same (packet messag$3) with second adj (response reply ack code tag) and (cellular cellphone telephone phone record$3 same call$3) and (@ad<"20000623" @rlad<"20000623")	US-PGPUB; USPAT	OR	ON	2006/01/23 09:38
L6	55	(event notification notif$4 activity service function alarm alert) near3 (id identifier indicator pointer code) and (packet messag$3) with first adj (response reply ack code tag) and (packet messag$3) with second adj3 (response reply ack code tag) and (cellular cellphone telephone phone record$3 same call$3) and (@ad<"20000623" @rlad<"20000623")	US-PGPUB; USPAT	OR	ON	2006/01/23 09:37

L8	7	(event notification notif$4).ab. and (event notification notif$4 activity service function alarm alert) near3 (id identifier indicator pointer code) and (packet messag$3) with first adj (response reply ack code tag) and (event notification notif$4) same (packet messag$3) with second adj (response reply ack code tag) and (cellular cellphone telephone phone record$3 same call$3) and (@ad<"20000623" @rlad<"20000623")	US-PGPUB; USPAT	OR	ON	2006/01/23 09:43
L9	1	(event notification notif$4).ab. and (event notification notif$4 activity service function alarm alert) near3 (id identifier indicator pointer code) and (packet messag$3) with first adj (number value) and (event notification notif$4) same (packet messag$3) with second adj (number value) and (cellular cellphone telephone phone record$3 same call$3) and (@ad<"20000623" @rlad<"20000623")	US-PGPUB; USPAT	OR	ON	2006/01/23 09:48
L12	5	(event notification notif$4 alarm alert).ab. and (event notification notif$4 activity service function alarm alert) near3 (id identifier indicator pointer code) and (packet messag$3) with first adj (number value) and second adj (number value) and (cellular cellphone telephone phone record$3 same call$3) and (@ad<"20000623" @rlad<"20000623")	US-PGPUB; USPAT	OR	ON	2006/01/23 10:05
L13	116	(event notification notif$4 alarm alert).ab. and (event notification notif$4 activity service function alarm alert) near3 (id identifier code) and first adj (number value id identifier code) and second adj (number value id identifier code) and (cellular cellphone telephone phone record$3 same (messag$3 call$3)) and (@ad<"20000623" @rlad<"20000623")	US-PGPUB; USPAT	OR	ON	2006/01/23 10:08
L14	22	13 and (first second) adj2 (caller user member individual client subscriber cusotmer)	US-PGPUB; USPAT	OR	ON	2006/01/23 10:13

L15	13	13 and (first second) adj2 (caller user member individual client subscriber cusotmer) and event near5 code	US-PGPUB; USPAT	OR	ON	2006/01/23 10:24
L16	11	13 and (first second) adj2 (caller user member individual client subscriber cusotmer) and event near3 (id identifier code tag)	US-PGPUB; USPAT	OR	ON	2006/01/23 10:25
L17	5	13 and (first) adj2 (caller user member individual client subscriber customer) and second adj2 (caller user member individual client subscriber customer) and event near3 (id identifier code tag)	US-PGPUB; USPAT	OR	ON	2006/01/23 10:25